



Craven Equipment

Inspired by Adventure Built for Everyday

Bike – BSA A75 1971-72

The correct rack for these bikes is an 'L2' rack

The fitting kit is designed to mount the rack to the motorcycle and also has the provision to hold panniers should you require it.

Included in the fitting kits:-

Main fitting kit

Part Number	Quantity	DESCRIPTION
B114	4	Spacer 8x15x50mm
FA1019Q	4	M8 full nut, stainless steel
FA1029Q	16	Washer, half penny, M8, stainless
FA1046Q	4	Bolt, standard head, M8 x 75 (3"), stainless
FA1476Q	2	Set bolt, M8 x 20, stainless steel
FA1477Q	2	Set bolt, M8 x 25, stainless steel
FA1530Q	8	Nyloc nut, M8, stainless
P428	8	Tube clamp, halves, 3/4 or 5/8 tube (2x8mm holes)
P437	4	7/8 tube clip
P470	1	Support arm right hand BSA A7, A10, A75, Royal Enfield
P471	1	Support arm left hand BSA A7, A10, A75, Royal Enfield



Craven Equipment

Inspired by Adventure Built for Everyday

Fitting the rack:- General notes

Identify the brackets and their respective fastenings; note that some brackets, especially the long support arms, are frequently handed.

Loosely attach the brackets to the bike and then to the rack. Threads should be lubricated before assembly. Brackets may occasionally need to have a twist put in them or bending a little in order to line them up. As they are all in stainless there is no surface coating to damage.

Finally tighten the nuts and bolts, which are metric and stainless.

See 'General Fitting instructions' for step-by-step advice for fitting a rack and panniers to any machine. For advice specific to your machine, read on!



Craven Equipment

Inspired by Adventure Built for Everyday

Fitting the rack:- Specific notes about your kit

Main kit

This is a rather straightforward kit. The long support arms (P470 and P471) attach to the skis that run along the bottom of the rack and to the pillion footrest bolt. The arms are handed so make sure you have them on the correct side. The front and middle mounting holes in the rack use the spacers and then the tube clips (P437) which go over the frame rails. (See fig 1). The tube clamp halves fasten to the tubular bottom rails of the rack and hold the pannier mounting studs.

